

G 5690 SCVi SL

Fully integrated dishwasher, 45 cm
for optimum drying results thanks to AutoOpen drying.



- Perfect results in less than one hour - QuickPowerWash
- Save up to 50 % more electricity – hot water connection
- Everything completely dry – AutoOpen drying
- Very easy door opening and closing – ComfortClose
- Versatile and secure – ExtraComfort basket design



EAN: 4002516316381 / article number: 21569062GB / material number: 11495960

Construction type	
Fully integrated dishwasher	•
45 cm dishwasher	•
Design	
Fascia colour	Stainless steel/CleanSteel
Control panel version	Straight fascia
Control type	Programme selector button
Display	1-line text display
Display colour	Yellow
MultiLingua	•
Convenience	
Door closing aid	ComfortClose
Time left display	•
Delay start up to 24 hours	•
In-operation indicator light	Control indicator
Efficiency and sustainability	
Energy efficiency class (A–G)	D
Water consumption in the Automatic programme in l from	6,0
Water consumption of the ECO programme in litres per programme cycle	7,7
Energy consumption of the ECO programme in kWh after 100 programme cycles	62
Duration of ECO programme in minutes	230
Number of place settings	9
Noise emission class	B
Noise emissions in dB(A)	44
EcoFeedback	•
EcoPower technology	•
Proven hygiene	•
Hot water connection	•
Half load	•
Energy Star	No
Gentle treatment of crockery and glassware	
AutoOpen drying	•
SensorDry	•
Active condensation drying	•
BrilliantGlassCare	•
Wash programmes	
ECO	•
Automatic	•
Intensive 75 °C	•
Gentle	•
QuickPowerWash	•
ExtraQuiet 40 dB(A)	•
Appliance care	•
Dishwashing options	
Short	•
IntenseZone	•
Express	•
extra clean	•
extra dry	•

G 5690 SCVi SL


Fully integrated dishwasher, 45 cm
for optimum drying results thanks to AutoOpen drying.



Basket design	
Cutlery loading	3D+ cutlery tray
Basket design	ExtraComfort 45 cm
Safety	
Waterproof system	•
Safety lock	•
Technical data	
Niche width in mm	450
Niche height in mm	805
Niche depth in mm	570
Appliance width in mm	448
Appliance height in mm	805
Appliance depth in mm	570
Depth with door open in cm	116,5
Net weight in kg	40,8
Total rated load in kW	2,0
Voltage in V	230
Fuse rating in A	10
Number of phases	1
Electrical frequency standard	50
Length of water inlet hose in m	1,50
Length of water drain hose in m	1,50
Length of supply lead in m	1,80
Min. - max. front panel weight in kg	2,0

G 5690 SCVi SL

Fully integrated dishwasher, 45 cm
for optimum drying results thanks to AutoOpen drying.



G7000, fully integrated dishwasher, 45cm (installation drawing)

- 1) Plinth height 35-155 mm
- 2) Plinth height 100-220 mm
- 3) Appliance height max. 970 mm with plinth height conversion kit (Mat.-Nr. 6.394.761)